imu

imupos.com

Photo Kiosk

A photo kiosk that brings a new experience to stores, pop-up shops, and events



Custom Photo Content

Create photo content tailored to your brand and business goals

Flexible Placement

Fits stores, pop-up shops, and events, adapting to each space and purpose

Convenient Payments

Accept coupons and card payments to support different business models

KEY FEATURES

Features Designed for **Easier Operation**

Multiple Layouts

Create custom photo frames to match your business goals and concept

Multilingual Support

Korean, English, and Japanese support makes it easy for more guests to use

Mobile Admin Page

Manage operations easily from a dedicated mobile admin page

imupos.com
+82-2-6105-7261/7271
sales2@imupos.com





PRODUCT SPEC

Specification

PHOTO KIOSK		
System		
Processor	Intel® J6412 Processor(Fanless)	
Storage	2.5" SATA III SSD 128GB (SSD 256/512GB, optional)	
Memory	4GB SO-DIMM DDR4 3200MHz × 1 (Max 16GB, optional)	
Graphics	Intel® UHD Graphics	
OS	Windows 10 IoT Enterprise(64bit), Windows 11 IoT Enterprise(64bit)	
Display		
Primary Display Type	15.6" LED Backlight (1920 × 1080 Resolution)	
Touch	PCAP 10 Point Multi-touch	
I/O Interfaces		
USB	2 × USB 2.0(Rear Top ×2), 4 × USB 3.0 (Rear Bottom × 4)	
Serial	6 (DB9 × 3, RJ50 × 2, RJ11 × 1)	
Audio	1 × Audio-out / 3.5mm	
Extend Displays	1 × LVDS/eDP	
LAN	1 × RJ45 (Base-T 10,100,1000m/bps Ethernet)	
Speaker	1 × 5W	
Camera	Max. video resolution: 1080p/60fps (MJPEG)	
Photo Printer		
Model	CITIZEN CZ-01	
Printing Technology	Dye-sublimation thermal system with overcoat	
Resolution	300 × 300 dpi (High-Speed Mode), 300 × 600 dpi (High-Resolution Mode)	
Print Speed (max.)	4 × 4 inch 16.3 sec	4 × 6 inch 18.8 sec
Print Size / Capacity	4 × 4 inch (102 × 102 mm) 150 sheets/roll	4 × 6 inch (101 × 152 mm) 150 sheets/roll
Finishing	Glossy / Matte	
Physical Dimension		
Dimension (W × D × H)	Tabletop 345 × 410 × 377(mm)	Stand 450 × 500 × 1361(mm)
Weight	23kg	38kg
Environment		
Power Supply	DC 12V/7A (AC 100V~240V, 84W)	
Temperature	Operating Temp: 0~40°C / Storage Temp: -20~60°C / Humidity: 20% to 90%	
Certifications	TBD	

* Specifications are subject to change without notice.
* Product and box weights may vary slightly by model and components.

Dimension View



Full HD Camera
Captures up to 1920 × 1080

Hi-Res Printer
Up to 600 × 600 dpi

15.6" FHD Touch Display
10-point multi-touch support

Fast Printing
Approx. 16.3–23.1 sec in High-Speed Mode







* Images are for illustration purposes only.

imu
WATCHING THE IMU POS · KIOSK

Address
#609, 115, Gasan digital 2-ro, Geumcheon-gu,
Seoul, 08505, Republic of Korea

Tel +82-2-6105-7261/7271
Email sales2@imupos.com
Web imupos.com

INSTALLATION CASES

Placement Options

Three installation types to fit your space and purpose
Tabletop · Wall-Mount · Stand



01
Tabletop

Sets up easily on any table or counter
even where space is limited



02
Wall-Mount

Mounts on the wall to save floor space



03
Stand

Draws attention at pop-up shops and events

* Images are for illustration purposes only.

CASE 01 · KARAOKE

Karaoke Venue

• **Keep the Memories After Every Song**







* AI-generated: Installation images on this page were created with AI for illustration purposes only and may differ from actual stores and use environments.

CASE 02 · STADIUM

Baseball Stadium

• **Capture the Thrill of Game Day**







* AI-generated: Installation images on this page were created with AI for illustration purposes only and may differ from actual stores and use environments.

CASE 03 · HAIR SALON

Hair Salon

Capture the Fresh Look After Every Visit







* AI-generated: Installation images on this page were created with AI for illustration purposes only and may differ from actual stores and use environments.